

Exam Questions 300-206

SENSS Implementing Cisco Edge Network Security Solutions

<http://www.2passeasy.com/dumps/300-206/>



1.. What are three of the RBAC views within Cisco IOS Software? (Choose three.)

- A. Admin
- B. CLI
- C. Root
- D. Super Admin
- E. Guest
- F. Super

Answer: B,C,F

2. Which cloud characteristic is used to describe the sharing of physical resources between various entities?

- A. Multitenancy
- B. Ubiquitous access
- C. Elasticity
- D. Resiliency

Answer: A

3. Which URL downloads a copy of packet-capture named "security" residing on a Cisco ASA adaptive security appliance with IP 10.10.100.11?

- A. <https://10.10.100.11/capture/security/pcap>
- B. <https://10.10.100.11/capture/security.pcap>
- C. <https://10.10.100.11/security.pcap/download>
- D. <https://10.10.100.11/asa/security/pcap>

Answer: A

4. When a traffic storm threshold occurs on a port, into which state can traffic storm control put the port?

- A. Disabled
- B. Err-disabled

- C. Disconnected
- D. Blocked
- E. Connected

Answer: B

5. A rogue device has connected to the network and has become the STP root bridge, which has caused a network availability issue.

Which two commands can protect against this problem? (Choose two.)

- A. switch(config)#spanning-tree portfast bpduguard default
- B. switch(config)#spanning-tree portfast bpdupfilter default
- C. switch(config-if)#spanning-tree portfast
- D. switch(config-if)#spanning-tree portfast disable
- E. switch(config-if)#switchport port-security violation protect
- F. switch(config-if)#spanning-tree port-priority 0

Answer: A,C

6. A network engineer is troubleshooting and configures the ASA logging level to debugging. The logging-buffer is dominated by %ASA-6-305009 log messages. Which command suppresses those syslog messages while maintaining ability to troubleshoot?

- A. no logging buffered 305009
- B. message 305009 disable
- C. no message 305009 logging
- D. no logging message 305009

Answer: D

7. What are two high-level task areas in a Cisco Prime Infrastructure life-cycle workflow? (Choose two.)

- A. Design
- B. Operate
- C. Maintain

D. Log

E. Evaluate

Answer: A,B

8. What are two reasons to implement Cisco IOS MPLS Bandwidth-Assured Layer 2 Services? (Choose two.)

A. guaranteed bandwidth and peak rates as well as low cycle periods, regardless of which systems access the device

B. increased resiliency through MPLS FRR for AToM circuits and better bandwidth utilization through MPLS TE

C. enabled services over an IP/MPLS infrastructure, for enhanced MPLS Layer 2 functionality

D. provided complete proactive protection against frame and device spoofing

Answer: B,C

9. Which cloud characteristic is used to describes the sharing of physical resource between various entities ?

A. Elasticity

B. Ubiquitous access

C. Multitenancy

D. Resiliency

Answer: D

Explanation:

http://www.cisco.com/web/about/ac123/ac147/archived_issues/ipj_12-3/123_cloud1.html

10. Which two options are purposes of the packet-tracer command? (Choose two.)

A. to filter and monitor ingress traffic to a switch

B. to configure an interface-specific packet trace

C. to simulate network traffic through a data path

D. to debug packet drops in a production network

E. to automatically correct an ACL entry in an ASA

Answer: C,D

11. Refer to the exhibit.

```
access-list test extended permit ip 2001:DB5:7::/64
192.168.1.0 255.255.255.0
```

Which statement about this access list is true?

- A. This access list does not work without 6to4 NAT
- B. IPv6 to IPv4 traffic permitted on the Cisco ASA by default
- C. This access list is valid and works without additional configuration
- D. This access list is not valid and does not work at all
- E. We can pass only IPv6 to IPv6 and IPv4 to IPv4 traffic

Answer: A

12. Which action is considered a best practice for the Cisco ASA firewall?

- A. Use threat detection to determine attacks
- B. Disable the enable password
- C. Disable console logging D. Enable ICMP permit to monitor the Cisco ASA interfaces
- E. Enable logging debug-trace to send debugs to the syslog server

Answer: A

13. Which option is a valid action for a port security violation?

- A. Reset
- B. Reject
- C. Restrict
- D. Disable

Answer: C

14. Which configuration keyword will configure SNMPv3 with authentication but no encryption?

- A. Auth
- B. Priv
- C. No auth
- D. Auth priv

Answer: A

15. Which command displays syslog messages on the Cisco ASA console as they occur?

- A. Console logging <level>
- B. Logging console <level>
- C. Logging trap <level>
- D. Terminal monitor
- E. Logging monitor <level>

Answer: B

16. Which two statements about Cisco IDS are true? (Choose two.)

- A. It is preferred for detection-only deployment.
- B. It is used for installations that require strong network-based protection and that include sensor tuning.
- C. It is used to boost sensor sensitivity at the expense of false positives.
- D. It is used to monitor critical systems and to avoid false positives that block traffic.
- E. It is used primarily to inspect egress traffic, to filter outgoing threats.

Answer: A,D

17. Which two statements about Cisco IOS Firewall are true? (Choose two.)

- A. It provides stateful packet inspection.
- B. It provides faster processing of packets than Cisco ASA devices provide.
- C. It provides protocol-conformance checks against traffic.
- D. It eliminates the need to secure routers and switches throughout the network.

E. It eliminates the need to secure host machines throughout the network.

Answer: A,C

18. Refer to the exhibit. What type of attack is being mitigated on the Cisco ASA appliance?

```

Exhibit
regex App_regex_1
"[uU][nN][iI][oO][nN] ([%2[0bB] | +) ([aA][lL][lL] ([%2[0bB] | +))?[sS][eE][lL]
][eE][cC][tT]"
regex App_regex_2 "[Ss][Ee][Ll][Ee][Cc][Tt] (%2[0bB] | +) [^\r\x00-\x19\x7f-
\xff]+ (%2[0bB] | +) [Ff][Rr][Oo][Mm] (%2[0bB] | +) "

!
class-map WebServers
  match port tcp eq www
class-map type inspect http match-any App-map
  match request body regex App_regex_1
  match request body regex App_regex_2
!

policy-map type inspect http drop-Protocol
  parameters
    body-match-maximum 3000
  class App-map
    drop-connection log
policy-map Protocol-traffic
  class WebServers
    inspect http drop-Protocol
!
service-policy Protocol-traffic interface outside

```

- A. HTTP and POST flood attack
- B. HTTP Compromised-Key Attack
- C. HTTP Shockwave Flash exploit
- D. HTTP SQL injection attack

Answer: D

19. What are three features of the Cisco ASA 1000V? (Choose three.)

- A. cloning the Cisco ASA 1000V
- B. dynamic routing
- C. the Cisco VNMC policy agent
- D. IPv6

E. active/standby failover

F. QoS

Answer: A,C,E

20. What are the three types of private VLAN ports? (Choose three.)

A. promiscuous

B. isolated

C. community

D. primary

E. secondary

F. trunk

Answer: A,B,C

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-206 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-206 Product From:

<http://www.2passeasy.com/dumps/300-206/>

Money Back Guarantee

300-206 Practice Exam Features:

- * 300-206 Questions and Answers Updated Frequently
- * 300-206 Practice Questions Verified by Expert Senior Certified Staff
- * 300-206 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-206 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year